



RADNI STOLOVI




RADNI STO 80



Kod	Boja	Dimenzije (cm)	Težina (kg)
W-1011	svetli orah	Dužina: 80	36
W-1012	sivo	Širina: 80	
W-1014	bukva	Visina: 75	

RADNI STO 120



Kod	Boja	Dimenzije (cm)	Težina (kg)
W-1021	svetli orah	Dužina: 120	41
W-1022	sivo	Širina: 80	
W-1024	bukva	Visina: 75	

RADNI STO 140



Kod	Boja	Dimenzije (cm)	Težina (kg)
W-1031	svetli orah	Dužina: 140	44
W-1032	sivo	Širina: 80	
W-1034	bukva	Visina: 75	

RADNI STO 160




Kod	Boja	Dimenzije (cm)	Težina (kg)
W-1041	svetli orah	Dužina: 160	47
W-1042	sivo	Širina: 80	
W-1044	bukva	Visina: 75	

RADNI STO 180



Kod	Boja	Dimenzije (cm)	Težina (kg)
W-1051	svetli orah	Dužina: 180	50
W-1052	sivo	Širina: 80	
W-1054	bukva	Visina: 75	

POMOĆNI STO 110



Kod	Boja	Dimenzije (cm)	Težina (kg)
W-1101	svetli orah	Dužina: 100	37
W-1102	sivo	Širina: 60	
W-1104	bukva	Visina: 75	

PLOČA STOLA:

Oplemenjena iverica (univer) debljine 25 mm, kantovana ABS trakom debljine 2mm.

NOGE STOLA:


Oplemenjena iverica (univer) debljine 25 mm, kantovana ABS trakom debljine 0,5 mm.

TRAVERZA STOLA:

Oplemenjena iverica (univer) debljine 18 mm, kantovana ABS trakom debljine 0,5 mm.



STOLOVI SA METALNIM NOGAMA



RADNI STO 120



Kod	Boja	Dimenzije (cm)	Težina (kg)
W-3021	svetli orah	Dužina: 120	34
W-3022	sivo	Širina: 80	
W-3024	bukva	Visina: 75	

RADNI STO 140



Kod	Boja	Dimenzije (cm)	Težina (kg):
W-3031	svetli orah	Dužina: 140	36
W-3032	sivo	Širina: 80	
W-3034	bukva	Visina: 75	

RADNI STO 160



Kod	Boja	Dimenzije (cm)	Težina (kg):
W-3041	svetli orah	Dužina: 160	38
W-3042	sivo	Širina: 80	
W-3044	bukva	Visina: 75	

RADNI STO 180



Kod	Boja	Dimenzije (cm)	Težina (kg):
W-3071	svetli orah	Dužina: 180	40
W-3072	sivo	Širina: 80	
W-3074	bukva	Visina: 75	

PLOČA STOLA:

Oplemenjena iverica (univer) debljine 25 mm, kantovana ABS trakom debljine 2mm.

NOGE STOLA:


Metalne noge

TRAVERZA STOLA:


Metalna traverza



STOLOVI SA METALNIM NOGAMA



RADNI STO 120



Kod	Boja	Dimenzije (cm)	Težina (kg)
W-3121	svetli orah	Dužina: 120	34
W-3122	sivo	Širina: 80	
W-3124	bukva	Visina: 75	

RADNI STO 140



Kod	Boja	Dimenzije (cm)	Težina (kg):
W-3131	svetli orah	Dužina: 140	36
W-3132	sivo	Širina: 80	
W-3134	bukva	Visina: 75	

RADNI STO 160



Kod	Boja	Dimenzije (cm)	Težina (kg):
W-3141	svetli orah	Dužina: 160	38
W-3142	sivo	Širina: 80	
W-3144	bukva	Visina: 75	

RADNI STO 180



Kod	Boja	Dimenzije (cm)	Težina (kg):
W-3171	svetli orah	Dužina: 180	40
W-3172	sivo	Širina: 80	
W-3174	bukva	Visina: 75	

PLOČA STOLA:

Oplemenjena iverica (univer) debljine 25 mm, kantovana ABS trakom debljine 2mm.

NOGE STOLA:


Metalne noge

TRAVERZA STOLA:


Metalna traverza



KLUB STOLOVI



MALI KLUB STO



Kod	Boja	Dimenzije (cm)	Težina (kg):
W-1081	svetli orah	Dužina: 60	17
W-1082	sivo	Širina: 60	
W-1084	bukva	Visina: 45	

VELIKI KLUB STO



Kod	Boja	Dimenzije (cm)	Težina (kg):
W-1091	svetli orah	Dužina: 120	27
W-1092	sivo	Širina: 60	
W-1094	bukva	Visina: 45	

PLOČA STOLA:

Oplemenjena iverica (univer) debljine 25 mm. Kantovana ABS trakom debljine 2mm.

NOGE STOLA:


Oplemenjena iverica (univer) debljine 25 mm. Kantovana ABS trakom debljine 0,5 mm.

TRAVERZA STOLA:

Oplemenjena iverica (univer) debljine 18 mm. Kantovana ABS trakom debljine 0,5 mm.



KONFERENCIJSKI STOLOVI




KONFERENCIJSKI STO



Kod	Boja	Dimenzije (cm)	Težina (kg):
W-1061	svetli orah	Dužina: 250	65
W-1062	sivo	Širina: 100	
W-1064	bukva	Visina: 75	

OKRUGLI KONF. STO



Kod	Boja	Dimenzije (cm)	Težina (kg):
W-1071	svetli orah	Precnik: 120	42
W-1072	sivo	Visina: 75	
W-1074	bukva		

PLOČA STOLA:

Oplemenjena iverica (univer) debljine 25 mm, Kantovana ABS trakom debljine 2mm

NOGE STOLA:


Oplemenjena iverica (univer) debljine 25 mm, Kantovana ABS trakom debljine 0,5 mm

TRAVERZA STOLA:

Oplemenjena iverica (univer) debljine 18 mm, Kantovana ABS trakom debljine 0,5 mm



DODACI ZA STOLOVE




NOSAČ MONITORA




Kod	Boja	Dimenzije (cm)	Težina (kg):
W-5061	svetli orah	Dužina: 55	4
W-5062	sivo	Širina: 30	
W-5064	bukva	Visina: 10,5	

NOSAČ TASTATURE



Kod	Boja	Dimenzije (cm)	Težina (kg):
W-5071	svetli orah	Dužina: 60	4
W-5072	sivo	Širina: 35	
W-5074	bukva	Visina: 18	

NOSAČ KUĆIŠTA



Kod	Boja	Dimenzije (cm)	Težina (kg):
W-5081	svetli orah	Dužina: 27	4
W-5082	sivo	Širina: 40	
W-5084	bukva	Visina: 25	

PLOČA NOSAČA:


Oplemenjena iverica (univer) debljine 25 mm, kantovana ABS trakom debljine 2mm.

STRANE NOSAČA:

Oplemenjena iverica (univer) debljine 25 mm, kantovana ABS trakom debljine 0,5 mm.



KASETE ZA STOLOVE



POKRETNNA KASETA sa 3 fioke




Kod	Boja	Dimenzije (cm)	Težina (kg):
W-4011	svetli orah	Dužina: 45	28
W-4012	sivo	Širina: 51,5	
W-4014	bukva	Visina: 58	

POKRETNNA KASETA sa 3 fioke, centralna brava, metal box



Kod	Boja	Dimenzije (cm)	Težina (kg):
W-4031	svetli orah	Dužina: 45	29
W-4032	sivo	Širina: 51,5	
W-4034	bukva	Visina: 58	

FIKSNA KASETA sa 2 fioke



Kod	Boja	Dimenzije (cm)	Težina (kg):
W-4021	svetli orah	Dužina: 45	20
W-4022	sivo	Širina: 51	
W-4024	bukva	Visina: 33,5	

TOP KASETE:

Oplemenjena iverica (univer) debljine 25 mm, kantovana ABS trakom debljine 2mm i ABS trakom debljine 0,5 mm.

KORPUS KASETE:

Oplemenjena iverica (univer) debljine 18 mm, kantovana ABS trakom debljine 0,5 mm.


FIOKE:

Oplemenjena iverica (univer) debljine 18 mm, kantovana ABS trakom debljine 0,5 mm, top fioke kantovan ABS trakom 0,5 mm, dno fioke HDF debljine 3 mm. Kod W-403X, centralna bravica i metal box (stranice fioke).


Dno fioke - oplemenjena iverica 18 mm



ORMARI niski



ORMAR niski, bez vrata



Kod	Boja	Dimenzije (cm)	Težina (kg)
W-6011	svetli orah	Dužina: 80	26
W-6012	sivo	Širina: 42,5	
W-6014	bukva	Visina: 70	

ORMAR niski, sa punim vratima



Kod	Boja	Dimenzije (cm)	Težina (kg)
W-6021	svetli orah	Dužina: 80	36
W-6022	sivo	Širina: 42,5	
W-6024	bukva	Visina: 70	

ORMARI (bez i sa vratima)

TOP ORMARA:

Oplemenjena iverica (univer) debljine 25 mm. Kantovana ABS trakom debljine 2mm i ABS trakom debljine 0,5 mm

KORPUS ORMARA:


Oplemenjena iverica (univer) debljine 18 mm, Kantovana ABS trakom debljine 0,5 mm, poledina HDF debljine 3 mm, polica oplemenjena iverica (univer) 25mm kantovan ABS trakom 0,5mm

VRATA:


Oplemenjena iverica (univer) debljine 18 mm, Kantovana ABS trakom debljine 0,5mm



ORMARI srednji




ORMAR srednji, bez vrata



Kod	Boja	Dimenzije (cm)	Težina (kg):
W-6031	svetli orah	Širina: 80	42
W-6032	sivo	Dubina: 42,5	
W-6034	bukva	Visina: 135	

ORMAR srednji, sa punim vratima




Kod	Boja	Dimenzije (cm)	Težina (kg):
W-6041	svetli orah	Širina: 80	60
W-6042	sivo	Dubina: 42,5	
W-6044	bukva	Visina: 135	

ORMAR srednji, sa drvenim i staklenim vratima



Kod	Boja	Dimenzije (cm)	Težina (kg)
W-6051	svetli orah	Širina: 80	60
W-6052	sivo	Dubina: 42,5	
W-6054	bukva	Visina: 135	

ORMAR srednji, sa staklenim vratima



Kod	Boja	Dimenzije (cm)	Težina (kg)
W-6061	svetli orah	Širina: 80	54
W-6062	sivo	Dubina: 42,5	
W-6064	bukva	Visina: 135	

TOP ORMARA:

Oplemenjena iverica (univer) debljine 25 mm. Kantovana ABS trakom debljine 2mm i ABS trakom debljine 0,5 mm

KORPUS ORMARA:


Oplemenjena iverica (univer) debljine 18 mm, kantovana ABS trakom debljine 0,5 mm, poledina HDF debljine 3 mm, polica oplemenjena iverica (univer) 25mm kantovan ABS trakom 0,5mm

VRATA:


- 1) Oplemenjena iverica (univer) debljine 18 mm, kantovana ABS trakom debljine 0,5mm, staklena vrata
- 2) Staklena vrata



ORMARI visoki



ORMAR visoki bez vrata




Kod	Boja	Dimenzije (cm)	Težina (kg):
W-6091	svetli orah	Širina: 80	62
W-6092	sivo	Dubina: 42,5	
W-6094	bukva	Visina: 200	

ORMAR visoki sa punim vratima




Kod	Boja	Dimenzije (cm)	Težina (kg):
W-6081	svetli orah	Širina: 80	85
W-6082	sivo	Dubina: 42,5	
W-6084	bukva	Visina: 200	

ORMAR visoki, 2/3 vitrina + 1/3 puna vrata



Kod	Boja	Dimenzije (cm)	Težina (kg):
W-6071	svetli orah	Širina: 80	62
W-6072	sivo	Dubina: 42,5	
W-6074	bukva	Visina: 200	

ORMAR visoki, 1/3 + 2/3 puna vrata



Kod	Boja	Dimenzije (cm)	Težina (kg):
W-6111	svetli orah	Širina: 80	85
W-6112	sivo	Dubina: 42,5	
W-6114	bukva	Visina: 200	

TOP ORMARA:

Oplemenjena iverica (univer) debljine 25 mm. Kantovana ABS trakom debljine 2mm i ABS trakom debljine 0,5 mm

KORPUS ORMARA:


Oplemenjena iverica (univer) debljine 18 mm. Kantovana ABS trakom debljine 0,5 mm, poledina HDF debljine 3 mm, polica oplemenjena iverica (univer) 25mm kantovan ABS trakom 0,5mm

VRATA:


- 1) Oplemenjena iverica (univer) debljine 18 mm, kantovana ABS trakom debljine 0,5mm
- 2) Staklena vrata



RADNE STANICE




RADNA STANICA leva




Kod	Boja	Dimenzije (cm)	Težina (kg):
W-2011	svetli orah	Dužina: 160	49
W-2012	sivo	Širina: 100	
W-2014	bukva	Visina: 75	

RADNA STANICA desna




Kod	Boja	Dimenzije (cm)	Težina (kg):
W-2021	svetli orah	Dužina: 160	49
W-2022	sivo	Širina: 100	
W-2024	bukva	Visina: 75	

RADNA STANICA desna sa metalnim nogama



Kod	Boja	Dimenzije (cm)	Težina (kg):
W-3061	svetli orah	Dužina: 160	38
W-3062	sivo	Širina: 100	
W-3064	bukva	Visina: 75	

RADNA STANICA leva sa metalnim nogama



Kod	Boja	Dimenzije (cm)	Težina (kg):
W-3051	svetli orah	Dužina: 160	38
W-3052	sivo	Širina: 100	
W-3054	bukva	Visina: 75	

PLOČA STOLA:

Oplemenjena iverica (univer) debljine 25 mm, kantovana ABS trakom debljine 2mm.

NOGE STOLA:


- 1) Oplemenjena iverica (univer) debljine 25 mm, kantovana ABS trakom debljine 0,5 mm ili
- 2) Metalne noge

TRAVERZA STOLA:


- 1) kod stolova sa drvenim nogama - oplemenjena iverica (univer) debljine 18 mm, kantovana ABS trakom debljine 0,5 mm
- 2) kod stolova sa metalnim nogama - metalna traverza



UGAONI DODACI




UGAO STOLA 90° SA METALNOM NOGOM




Kod	Boja	Dimenzije (cm)	Težina (kg):
W-5011	svetli orah	Dužina: 80	10
W-5012	sivo	Širina: 80	
W-5014	bukva	Visina: -	

NASTAVAK KONFERENCIJSKOG STOLA




Kod	Boja	Dimenzije (cm)	Težina (kg):
W-5021	svetli orah	Dužina: 100	9
W-5022	sivo	Širina: 52	
W-5024	bukva	Visina: -	

DUPLI NASTAVAK RADNE STANICE




Kod	Boja	Dimenzije (cm)	Težina (kg):
W-5031	svetli orah	Dužina: 160	25
W-5032	sivo	Širina: 80	
W-5034	bukva	Visina:	

POLUKRUZNI NASTAVAK STOLA



Kod	Boja	Dimenzije (cm)	Težina (kg):
W-5041	svetli orah	Dužina: 80	5
W-5042	sivo	Širina: 40	
W-5044	bukva	Visina:	

UGAO STOLA 90° SA NOGOM



Kod	Boja	Dimenzije (cm)	Težina (kg):
W-5051	svetli orah	Dužina: 80	8
W-5052	sivo	Širina: 60	
W-5054	bukva	Visina: -	

PLOČA NASTAVKA:

Oplemenjena iverica (univer) debljine 25 mm, kantovana ABS trakom debljine 2mm

NOGE STOLA:

Metalne noge, vijci, ugaonici

